



INA HK2018-RS needle roller bearings

Bearing No. HK2018-RS

HK2018-RS Bearing 2D drawings and 3D CAD models

Size	20x26x18 mm
Bore Diameter	20 mm
Outer Diameter	26 mm
Width	18 mm
F_w	20 mm
D	26 mm
C - 18 mm / Tolerance: -0,3	18 mm / Tolerance: 0,3
r_{min}	0,8 mm
m	21 g / Weight
C_r	12700 N / Dynamic load rating (radial)
C_{Or}	20100 N / Static load rating (radial)
C_{ur}	2500 N / Fatigue limit load, radial
$n_{G\ Fett}$	8500 1/min / Limiting speed for grease lubrication
	LR17X20X20,5 / Suitable inner ring
	IR17X20X20,5 / Suitable inner ring
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4026677400499



NSK?INDUSTRIA CUSCINETTI S.P.A.

Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	1 Seal
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	No
Thrust Bearing	No
Long Description	20MM Bore; 26MM Outside Diameter; 18MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; 1 Seal; Not Self Aligning; Retainer; Single Row of Rollers; Not Separable; Not Clo
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.99.65.30
Noun	Roller Assembly with Outer Ring
Keyword String	Bearing Needle
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	HK2018RS
Weight / LBS	0.046
Bore	0.787 Inch 20 Millimeter
Width	0.709 Inch 18 Millimeter



NSK?INDUSTRIA CUSCINETTI S.P.A.

Outside Diameter

1.024 Inch | 26 Millimeter