




NSK?INDUSTRIA CUSCINETTI S.P.A.



40 mm x 90 mm x 36.5 mm KOYO 5308 angular contact ball bearings

Bearing No. 5308

5308 Bearing 2D drawings and 3D CAD models

Size	40x90x36.5 mm
Bore Diameter	40 mm
Outer Diameter	90 mm
Width	36.5 mm
d	40 mm
D	90 mm
B	36.5 mm
C	36.5 mm
a	44.9 mm
r min.	1.5 mm
da min.	48.5 mm
da max	52.1 mm
Da max.	81.5 mm
ra max.	1.5 mm
Weight	1.05 Kg
Basic dynamic load rating (C)	62.7 kN
Basic static load rating (C0)	45.4 kN
(Grease) Lubrication Speed	4600 r/min
Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	1.092
Product Group	B00152



NSK?INDUSTRIA CUSCINETTI S.P.A.

Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	24 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	40MM Bore; 90MM Outside Diameter; 36.5MM Width; Open; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 24 Degree; 1 (Single)
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.koyousa.com
Bore	1.575 Inch 40 Millimeter
Outside Diameter	3.543 Inch 90 Millimeter
Width	1.437 Inch 36.5 Millimeter
Bearing No.	5308
r(min)	1.5
Cr	78.3



NSK?INDUSTRIA CUSCINETTI S.P.A.

C0r	45.4
Cu	2.35
Grease lub.	4600
Oil lub.	6100
da(min)	48.5
da(max)	-
Da(max)	81.5
ra(max)	1.5
(Refer.) Mass(kg)	1.05